

ELVATECH PRECISION THAT  
EMPOWERS CONFIDENCE

# ELVAX PRO



**PROFESSIONAL LABORATORY  
X-RAY FLUORESCENCE ANALYZER**

# LABORATORY X-RAY FLUORESCENCE ANALYZER FOR FAST QUALITATIVE AND QUANTITATIVE ANALYSIS OF A WIDE VARIETY OF MATERIALS IN SOLID, LIQUID, OR POWDER FORM.

It offers a new level of analysis accuracy, speed and detection limits for a wide range of elements from Na(11) to U(92) due to the new 60kV, 1000 uAmp X-ray tube and the ultra large area Fast SDD detector. Powerful hardware combined with unique software algorithms make ElvaX Pro a multipurpose lab instrument for elemental analysis of various materials including solids, powders, liquids etc.

- ✓ World's fastest XRF analyzer (throughput above 500 000 cps) – highest accuracy and excellent precision within the shortest measurement time
- ✓ 60 kV X-ray tube voltage allows to analyze rare earth elements using K-series up to Er and consistently improves sensitivity to the high-energy elements from Pd (Z=46) to Ba (Z=56)
- ✓ Up to 1000  $\mu$ A X-ray tube current improves accuracy and detection limits for light elements (Na, Mg, Al, Si, P, S) and allows to use small-size collimators (<1 mm) for small spot analysis
- ✓ Motorized collimator changer for small spot analysis of jewelry, welds etc.
- ✓ Helium purge feature improves sensitivity to light elements (Na, Mg, Al, Si, P, S) several times
- ✓ 16-position automatic sample changer increases the productivity of your lab
- ✓ Sample spinner for analysis of inhomogeneous samples
- ✓ Excellent calibration stability, compensation of ambient temperature and pressure influence
- ✓ High-resolution CCD camera for precise sample positioning



## ACCURACY

With innovative hardware and unique software algorithms, the ElvaX Pro offers the highest precision and accuracy of elemental analysis for a whole range of analytical applications.

## STABILITY

Thanks to the digiX-60 digital X-Ray source, automatic temperature, and pressure corrections, and automatic calibration adjustment ElvaX Pro offers long-life reproducibility of the analysis without the need to re-calibrate the system.

## SPEED


Dynamically Adaptive Shaping (DAS) DPP developed by Elvatech combined with the ultra large area Fast SDD detector makes the ElvaX Pro the fastest XRF analyzer on the market.

## ELVAX PRO IS THE MOST POWERFUL EDXRF SPECTROMETER AMONG THE ELVAX FAMILY FOR THE MOST DEMANDING USERS.


It offers excellent performances for the light elements analysis, as well as for the high energy elements including the rare earth.



The automatic 16-positions sample changer coupled with the fast measurement increases the productivity of your lab up to 1000 samples per workday.



The high-voltage 60 kV X-ray tube allows analyzing elements, which could not be measured before by using K-lines: La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er.



The high resolution CCD camera combined with the automatic collimator changer offers simple positioning and local analysis of jewelry, welds and small objects.

The powerful X-ray tube and ultra large Fast SDD provide high count rate and short measurement time even with collimators less than 1 mm.

## DIGITAL X-RAY SOURCE

### DIGIX-60

Anode: W, Rh, Ag

Voltage: 60 kV

Current: 1000 uAmp

Power: 12 W

8 position filter changer

5 position collimator changer

## X-RAY DETECTOR

Type: Fast SDD

Area: 40 mm<sup>2</sup>

Energy resolution: < 140 eV at Mn K $\alpha$ ,

< 85 eV at Al K $\alpha$

Count rate: 500 000 cps

## ELECTRONICS

DPP: proprietary DAS (Dynamically Adaptive Shaping) type, 80 MHz sampling rate

MCA: 4096 channels

## GENERAL

Dimensions: 430 × 340 × 200 mm

Weight: 18 kg

Power supply: 90 – 240 V, 50/60 Hz

Power consumption: 50 W

## SOFTWARE

Operating system: Windows

XP/Vista/7/8/10

Analysis algorithms: Fundamental parameters (FPA), Empirical (regression) calibrations, Manual spectra comparison



Speed



Accuracy



Stability

Elvatech Ltd. 50, Mashynobudivna str., Kyiv, 03067, Ukraine

Phone: (+1929) 243 99 06, (+38 063) 576 21 21, (+38 095) 576 21 21,

E-mail: [office@elvatech.com](mailto:office@elvatech.com)

[www.elvatech.com](http://www.elvatech.com)

